

PRODUCT NAME: CREATIVE FLOORING ENGINEERED TIMBER FLOORING

BPIR DECLARATION

DESIGNATED BUILDING PRODUCT: Class 1

DECLARATION

Creative Flooring Ltd has provided this declaration to satisfy the provisions of Schedule 1(d) of the <u>Building Product Information Requirements</u>) <u>Regulations 2022</u>

COMPANY DETAILS	
Importer legal and trading name /Address for service	Creative Flooring Ltd, 115a Diana Drive, Glenfield 0627
Importer Website/email	https://creativeflooring.nz/ sales@creativeflooring.nz
Importer NZBN	9429042246640
Importer Phone Number	094409625
Sustainability Information	https://creativeflooring.nz/
Product Code Identifier	Oiled Wood Flooring, Euro Oak Series, European Oak Series

DESCRIPTION OF BUILDING PRODUCT/INTENDED USE

Creative Flooring Engineered Timber is a floor covering made of 99% wood fibre products. The 4 main components that make-up the Engineered Timber are 7-coats of UV-cured Lacquer, Oak Timber top-layer (Lamella), Hevea or HDF core, Spruce backing layer. This 3-ply system composition with core layer running transverse allows for superior dimensional stability and the innovative uniclic joining system to help keep boards tightly together – so it maybe glued or floated (Exception is our Herringbone style which is tongue and groove joining system, glue-down only). Certain Creative Flooring Engineered Timber styles have added 'Surface & Edge Protect' and 'Hydroseal' technology to enhance stain and water resistance, and easy-to-clean qualities. Creative Flooring Engineered Timber is provided in a variety of sizes and decors. The full range of Creative Flooring Engineered Timber product can be found at https://creativeflooring.nz/wood

RELEVANT NEW ZEALAND BUILDING CODE CLAUSES

CLAUSE	EVIDENCE
B2 Durability – B2.3.1 (c)	Creative Flooring Engineered Timber has durability of over 10 years where installation, and care and maintenance instructions are followed.
C3 Fire affecting areas Beyond the fire source – C3.4 (b)	Creative Flooring Engineered Timber meets the requirements of C3 through standard reaction to Fire Tests for Floorings (AWTA test certification
D1 Access Routes – D1.3.3 (d)	Creative Flooring Engineered Timber has slip resistant ratings as per testing
E3 Internal moisture – E3.3.3, 3.5, 3.6	An an 'Alternative Solution', Creative Flooring Engineered Timber has been tested and is impervious and easy-to-clean through (NZWTA test certification), and through the following of care and maintenance instructions. See further detail here:
	https://creativeflooring.nz/resources
F2 Hazardous building materials – F2.3.1	Creative Flooring Engineered Timber meets the requirements of standard EN717-1: VOC Emission
G3 Food preparation and prevention of Contamination – G3.3.2 (b)	Creative Flooring Engineered Timber meets this requirement where care and maintenance instructions are followed

SCOPE OF USE AND LIMITATIONS

INSTALLATION:

Remove all existing carpet or soft flooring and underlays

Is not reommended inside showers or saunas

Must be installed as glue down only

Not suitable for exterior use

All subfloors need to be sound and structurally stable enough to be installed atop. Any loose parts of the subfloor or hard flooring need to be secured, repaired or removed and replaced. Subfloor must be flat with no unevenness greater than 3mm over the length of 3 metres in any direction. Clean and free of old adhesives, building rubble etc prior to installation.

See Installation & Care and Maintenance instructions for further information

https://creativeflooring.nz/resources

SUITABLE FOR UNDERFLOOR HEATING SYSTEMS

See Underfloor Heating System Instructions

https://creativeflooring.nz/resources

SUITABLE FOR WET AREAS (e.g Bathroom, Toilet, Laundry, Kitchen

Suitable for use in wet areas if specific installation requirements are met as detailed here:

https://creativeflooring.nz/resources

Supporting documentation including Installation instructions, Care and Maintenance instructions, and warranty information can be found at https://creativeflooring.nz/resources

RESPONSIBLE PERSON

As the responsible person as set out in Regulation 3, I confirm that the information supplied in this declaration is based on information supplied to the company as well as the company's own processes and is therefore to the best of my knowledge and correct.

I can also confirm that Creative Flooring Ltd Engineered Timber is not subject to a warning or ban under <u>s26 of the Building Act</u>

Signed for and on behalf of Creative Flooring Ltd

Greg Chestnut
MANAGING DIRECTOR SALES & MARKETING
1ST February 2024